

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



69.55  
...1920...

LIST  
RECEIVED

★ FEB 19 1920

U. S. Department of Agriculture

---

---

—PRICE LIST—

---

---

*of*

Collected Native Trees  
Shrubs and Plants

---

---



---

---

FOR SALE BY

**L. E. WILLIAMS**

EXETER, N. H., U. S. A.

---

---

I buy and sell Nursery Grown Stock, both fruit and ornamental,  
and can supply anything you need in this line at reasonable prices.



## LOCATION.

Exeter is located 50 miles northeast of Boston on the Boston and Maine railroad in direct communication with Boston and New York.

Our shipping season begins about the middle of April and lasts until June 1st and from September until the middle of November.

---

## TERMS.

Terms net cash unless otherwise arranged.

Parties unknown to me must send cash or good reference.

Boxing and packing at cost.

Not less than 50 and 500, unless otherwise arranged for, will be furnished at 100 and 1000 rates respectively.

I am ready to correct my errors and mistakes, but complaint must be made upon receipt of stock, or they cannot be entertained.

As I have no control over the transportation, planting, and weather I can assume no responsibility after delivering the stock for transportation.

---

## REMARKS.

I furnish trees and shrubs of any size suitable for transplanting, and a large number of shrubs and plants not quoted in this list.

I have an especially fine lot of Viburnums, Cornus, Vacciniums and Ferns.

A certificate of inspection is attached to all shipments and of fumigation when required by law or requested.

## BULBS

	<b>10</b>	<b>100</b>	<b>1000</b>
Arisaema triphyllum . . . . .	\$50	\$3.00	\$25.00
Calla palustris . . . . .	.50	3.00	25.00
Calopogon pulchellus . . . . .	1.00	6.00	
Erythronium Americanum . . . . .	1.00	3.00	25.00
Lilium Canadense, extra large bulbs . . . . .	2.00	10.00	
"        "        first size . . . . .	1.00	5.00	40.00
"        "        second size . . . . .	.75	3.50	30.00
"        "        flavum . . . . .	1.50	6.00	50.00
"        "        rubrum . . . . .	1.50	7.50	60.00
"        Candidum . . . . .	2.00	8.00	
"        Philadelphicum, first size . . . . .	1.00	5.00	40.00
"        "        second size . . . . .	.50	3.50	30.00
"        Superbum, extra large . . . . .	2.00	10.00	
"        "        medium . . . . .	1.00	6.00	50.00
"        Tigrinum . . . . .	1.00	6.00	
Mertensia Virginica . . . . .	1.00	5.00	40.00
Nymphaea advena . . . . .	1.00	4.00	35.00
"        odorata . . . . .	1.00	4.00	35.00
Sagittaria Engelmanniana . . . . .	1.00	5.00	
"        latifolia . . . . .	1.00	5.00	
Sanguinaria Canadensis . . . . .	1.00	4.00	35.00
Trillium erectum . . . . .	.50	3.00	20.00
"        grandiflorum . . . . .	.50	3.00	20.00
"        undulatum . . . . .	1.00	4.00	30.00

## FERNS

Adiantum pedatum, large . . . . .	\$1.00	\$5.00	\$35.00
"        "        small . . . . .	.50	3.00	25.00
Asplenium ebeneum . . . . .	1.00	4.00	35.00
"        Filix foemina . . . . .	1.00	4.00	35.00
"        trichomanes . . . . .	1.00	4.00	35.00
Aspidium acrostichoides, large . . . . .	1.00	5.00	40.00
"        "        small . . . . .	.50	3.00	25.00

	10	100	1000
<i>Aspidium cristatum</i> , large . . . . .	\$1.00	\$5.00	\$40.00
“ “ small . . . . .	.50	3.00	25.00
“ “ <i>Clintoniana</i> , large . . . . .	1.00	5.00	40.00
“ “ “ small . . . . .	.50	3.00	25.00
“ <i>Marginale</i> , large . . . . .	1.00	5.00	40.00
“ “ small . . . . .	.50	3.00	25.00
“ <i>Novaboracensis</i> . . . . .	1.00	5.00	40.00
“ <i>spinulosum</i> , large . . . . .	1.00	5.00	40.00
“ “ small . . . . .	.50	3.00	25.00
“ <i>thelypteris</i> . . . . .	1.00	5.00	40.00
<i>Botrychium matricariae folium</i> . . . . .	1.00	5.00	
“ <i>Virginianum</i> . . . . .	1.00	5.00	
<i>Camptosorus rhizophyllus</i> . . . . .	1.00	5.00	40.00
<i>Dicksonia punctilobula</i> . . . . .	1.00	5.00	40.00
“ “ small . . . . .	.50	3.00	25.00
<i>Onoclea sensibilis</i> , large . . . . .	1.00	5.00	40.00
“ “ small . . . . .	.50	3.00	25.00
“ <i>struthiopteris</i> , large . . . . .	1.00	5.00	40.00
“ “ small . . . . .	.50	3.00	25.00
<i>Osmunda cinnamomea</i> , large . . . . .	1.00	5.00	40.00
“ “ small . . . . .	.50	3.00	25.00
“ <i>Claytonia</i> , large . . . . .	1.00	5.00	40.00
“ “ small . . . . .	.50	3.00	25.00
“ <i>gracilis</i> . . . . .	1.00	4.00	30.00
“ <i>regalis</i> , large . . . . .	1.00	5.00	40.00
“ “ small . . . . .	.50	3.00	25.00
<i>Polypodium vulgare</i> , large . . . . .	1.00	5.00	40.00
“ “ small . . . . .	.50	3.00	25.00
<i>Phegopteris Phegopteris</i> . . . . .	1.00	5.00	
“ <i>Dryopteris</i> . . . . .	1.00	5.00	
<i>Woodsia Illvensis</i> . . . . .	1.00	5.00	
<i>Woodwardia angustifolia</i> . . . . .	1.00	6.00	40.00
“ <i>Virginica</i> . . . . .	1.00	6.00	40.00

## ORCHIDS

---

	10	100	1000
Cypripedium acaule, extra large . . . . .	1.00	6.00	50.00
“ “ large . . . . .	.50	4.00	35.00
“ pubescens, per crown . . . . .	1.50	10.00	75.00
“ spectabile “ “ . . . . .	1.50	10.00	75.00
Corallorhiza Corallorhiza . . . . .	1.00	5.00	
“ multiflora . . . . .	1.00	5.00	
Habenaria Blephariglottis . . . . .	1.00	6.00	
“ ciliaris . . . . .	1.00	7.50	
“ grandiflorum . . . . .	1.00	7.50	
“ lacera . . . . .	1.00	5.00	
“ psycodes . . . . .	1.00	6.00	
Orchis spectabilis . . . . .	1.00	5.00	
Peramium pubescens . . . . .	.50	4.00	30.00
“ repens . . . . .	.50	4.00	30.00
Pogonia ophioglossiodes . . . . .	1.00	6.00	
Spiranthes latifolia . . . . .	1.00	5.00	
“ cernua . . . . .	1.00	5.00	

---

## VINES AND GROUND COVERS

---

	10	100	1000
Ampelopsis quinquefolia, small . . . . .	\$0.50	\$3.00	\$25.00
“ “ large . . . . .	1.50	5.00	49.00
Apios tuberosa . . . . .	1.00	5.00	40.00
Arctostaphylos Uva-Ursi . . . . .	1.00	5.00	40.00
Celastrus scandens, seedlings . . . . .	.50	3.00	25.00
“ “ “ 2 ft. - 4 ft. . . . .	1.00	5.00	40.00
Chiogenes hispidula . . . . .	.50	3.00	25.00
Clematis Virginica, small . . . . .	.50	3.00	25.00
“ “ large . . . . .	1.00	5.00	40.00



	10	100	1000
<i>Clintonia borealis</i> .....	\$1.00	\$3.00	\$25.00
<i>Coptis trifolia</i> .....	.50	3.00	25.00
<i>Cornus Canadensis</i> .....	.50	3.00	25.00
<i>Dalibarda repens</i> .....	.50	3.00	25.00
<i>Epigaea repens</i> , small, with ball.....	1.50	10.00	
“ “ large “ “.....	2.00	15.00	
<i>Gaultheria procumbens</i> , with ball....	1.00	5.00	40.00
<i>Hepatica acuta</i> , per bud.....	.50	2.50	
“ <i>Hepatica</i> “ “.....	.50	2.50	20.00
<i>Lycopodium complanatum</i> .....	.50	3.00	25.00
“ <i>obscurum</i> .....	.50	3.00	25.00
<i>Lysimachia Nummularia</i> .....	.50	4.00	35.00
<i>Mitchella repens</i> .....	.50	3.00	25.00
<i>Polygala paucifolia</i> .....	.50	3.00	25.00
<i>Pyrola chlorantha</i> .....	.50	3.00	25.00
“ <i>rotundifolia</i> .....	.50	3.00	25.00
“ <i>umbellata</i> .....	.50	3.00	25.00
<i>Rubus hispidus</i> .....	.50	3.00	25.00
<i>Sedum acre</i> .....	1.00	5.00	
“ <i>reflexum</i> .....	.50	4.00	
“ <i>Telephium</i> .....	.50	4.00	
<i>Smilax herbacea</i> .....	1.00	4.00	35.00
“ <i>rotundifolia</i> .....	1.00	4.00	35.00
<i>Tiarella cordifolia</i> .....	1.00	3.00	25.00
<i>Vaccinium macrocarpon</i> .....	.50	3.00	25.00
<i>Veronica officinalis</i> .....	.50	3.00	25.00

## MISCELLANEOUS PLANTS

	10	100	1000
Achillea millefolium.....	\$0.50	\$3.00	\$25.00
Acorus calamus.....	.50	3.00	25.00
Actaea alba, per bud.....	1.00	5.00	
"    rubra    "    "    .....	1.00	5.00	
Aletris farinosa.....	.50	3.00	
Anemone Pennsylvanicum.....	.50	4.00	30.00
"    quinquefolia.....	.50	4.00	30.00
Aquilegia vulgaris.....	1.00	5.00	40.00
Aralia hispida.....	1.00	5.00	35.00
"    nudicaulis.....	.50	3.00	25.00
"    quinquefolia.....	1.00	6.00	
"    racemosa.....	1.00	6.00	
Asarum Canadensis.....	1.00	5.00	
Asclepias incarnata.....	1.00	3.00	25.00
"    syriaca.....	.50	3.00	25.00
Aster ericoides.....	.50	3.00	25.00
"    linariifolius.....	.50	3.00	25.00
"    longifolius.....	.50	3.00	25.00
"    nemoralis.....	.50	3.00	25.00
"    Nova Angela.....	1.00	5.00	40.00
"    Novi Belgii.....	.75	3.00	25.00
"    puniceus.....	.75	3.00	25.00
"    umbellatus.....	.50	3.00	25.00
"    undulatus.....	.50	3.00	25.00
Baptisia tinctoria.....	1.00	5.00	
Caltha palustris.....	1.00	3.00	25.00
Caulophyllum thalictroides.....	1.00	5.00	
Chelone glabra.....	1.00	3.00	25.00
Cimicifuga racemosa.....	1.00	4.00	35.00
Claytonia Virginica.....	1.00	3.00	25.00
Desmodium Canadensis.....	.50	3.00	25.00
"    rigida.....	.50	3.00	25.00

	10	100	1000
<i>Epilobium Angustifolium</i> . . . . .	\$1.00	\$4.00	\$35.00
“ <i>lineare</i> . . . . .	.50	3.00	25.00
<i>Eriophioum gracile</i> . . . . .	1.00	3.00	25.00
<i>Eupatorium purpureum</i> . . . . .	1.00	5.00	35.00
“ <i>perfoliatum</i> . . . . .	1.00	5.00	35.00
<i>Galium asprellum</i> . . . . .	.50	3.00	
<i>Gentiana Andrewsii</i> . . . . .	1.00	5.00	35.00
“ <i>linearis</i> . . . . .	1.00	5.00	35.00
“ “ <i>alba</i> . . . . .	1.00	5.00	
<i>Geradia quercifolia</i> . . . . .	1.00	5.00	40.00
<i>Hydrastis Canadensis</i> . . . . .	1.00	6.00	50.00
<i>Inula helenium</i> . . . . .	1.00	5.00	40.00
<i>Iris prismatica</i> . . . . .	.50	3.00	25.00
“ <i>versicolor</i> . . . . .	.50	3.00	25.00
<i>Lacinaria scariosa</i> . . . . .	1.00	5.00	
<i>Lathyrus maritimus</i> . . . . .	1.00	5.00	25.00
“ <i>palustris</i> . . . . .	1.00	3.00	
<i>Lespedeza capitata</i> . . . . .	1.00	3.00	25.00
<i>Lychnis Flos cuculi</i> . . . . .	1.00	3.00	25.00
<i>Limnanthemum lacunosum</i> . . . . .	2.00	6.00	
<i>Linaria Linaria</i> . . . . .	.50	3.00	
<i>Linnaea borealis</i> . . . . .	1.00	4.00	32.00
<i>Lobelia cardinalis</i> , large . . . . .	1.00	4.00	35.00
“ “ small . . . . .	.50	3.00	25.00
“ <i>syphilitica</i> . . . . .	1.00	5.00	40.00
<i>Lysimachia quadrifolia</i> . . . . .	.50	3.00	25.00
“ <i>stricta</i> . . . . .	.50	3.00	25.00
<i>Medeola Virginica</i> . . . . .	1.00	3.00	25.00
<i>Mentha piperita</i> . . . . .	0.50	3.00	25.00
“ <i>viridis</i> . . . . .	.50	3.00	25.00
<i>Mimulus ringens</i> . . . . .	1.00	3.00	
<i>Monarda punctata</i> . . . . .	1.00	3.00	25.00
<i>Nepeta cataria</i> . . . . .	.50	5.00	

	10	100	1000
<i>Nepeta glechoma</i> . . . . .	\$0.50	\$3.00	\$25.00
<i>Pedicularis Canadensis</i> . . . . .	.50	3.00	25.00
<i>Peltandra Virginica</i> . . . . .	1.00	5.00	
<i>Phytolacca decendra</i> . . . . .	1.00	5.00	35.00
<i>Polygonatum biflorum</i> . . . . .	1.00	4.00	35.00
“ <i>commutatatum</i> . . . . .	1.00	4.00	35.00
<i>Pontideria cordata</i> . . . . .	1.00	5.00	35.00
<i>Ranunculus</i> , several varieties . . . . .	.50	3.00	25.00
<i>Rudbeckia hirta</i> . . . . .	.50	3.00	25.00
<i>Sanguisorba Canadensis</i> . . . . .	1.00	5.00	35.00
<i>Saponaria officinalis</i> . . . . .	1.00	3.00	25.00
<i>Sarracenia purpurea</i> . . . . .	1.00	4.00	35.00
<i>Solidago</i> , several varieties . . . . .	.50	3.00	25.00
<i>Tanacetum vulgare</i> . . . . .	.50	3.00	25.00
<i>Thalictrum Cornuti</i> . . . . .	1.00	4.00	35.00
<i>Trientalis Americana</i> . . . . .	.50	3.00	25.00
<i>Typha angustifolia</i> . . . . .	.50	3.00	25.00
“ <i>latifolia</i> . . . . .	1.00	4.00	35.00
<i>Unifolium Canadense</i> . . . . .	.50	3.00	25.00
<i>Uvularia sessilifolia</i> . . . . .	.50	3.00	25.00
<i>Vagnera racemosa</i> . . . . .	1.00	4.00	30.00
<i>Verbena hasatata</i> . . . . .	1.00	4.00	
<i>Viola blanda</i> . . . . .	1.00	4.00	30.00
“ <i>palmata</i> . . . . .	1.00	4.00	30.00
“ <i>pedata</i> . . . . .	1.00	4.00	30.00



	10	100	1000
<i>Betula lenta</i> , 6 in. - 18 in. . . . .	\$0.50	\$2.00	\$15.00
“ “ 1½ ft. - 3 ft. . . . .	75	3.00	25.00
“ “ 3 ft. - 4 ft. . . . .	1.00	5.00	40.00
“ “ 4 ft. - 6 ft. . . . .	1.25	10.00	75.00
“ <i>lutea</i> , 6 in. - 18 in. . . . .	50	2.00	15.00
“ “ 1½ ft. - 3 ft. . . . .	75	3.00	25.00
“ “ 3 ft. - 4 ft. . . . .	1.00	5.00	40.00
“ “ 4 ft. - 6 ft. . . . .	1.25	10.00	75.00
“ <i>nigra</i> , 1 ft. - 3 ft. . . . .	1.00	4.00	
“ <i>papyracea</i> , 6 in. - 18 in. . . . .	50	2.00	15.00
“ “ 1½ ft. - 3 ft. . . . .	75	3.00	25.00
“ “ 3 ft. - 4 ft. . . . .	1.00	5.00	40.00
“ “ 4 ft. - 6 ft. . . . .	1.25	10.00	75.00
“ <i>populifolia</i> , 1 ft. - 3 ft. . . . .	50	2.00	10.00
“ “ 3 ft. - 4 ft. . . . .	75	3.00	20.00
“ “ 4 ft. - 6 ft. . . . .	1.00	5.00	40.00
<i>Berberis Thunbergii</i> , 1 ft. - 3 ft. . . . .	1.00	4.00	
“ <i>vulgaris</i> , 1 ft. - 3 ft. . . . .	75	5.00	40.00
“ “ 3 ft. - 5 ft. clumps. . . . .	2.00	15.00	100.00
<i>Benzoin Benzoin</i> , 1½ ft. - 3 ft. . . . .	75	5.00	
“ “ 2 ft. - 4 ft., clumps. . . . .	2.00	15.00	
<i>Castanea dentata</i> , 6 in. - 18 in. . . . .	50	4.00	
“ “ 1 ft. - 3 ft. . . . .	1.00	6.00	
<i>Carpinus Americana</i> , 6 in. - 2 ft. . . . .	50	2.00	15.00
“ “ 2 ft. - 4 ft. . . . .	75	5.00	30.00
<i>Cephalanthus occidentalis</i> , 6 in. - 2 ft. . . . .	0.50	3.00	25.00
“ “ 2 ft. - 4 ft. . . . .	75	5.00	40.00
<i>Cercis Canadensis</i> , 1 ft. - 3 ft. . . . .	1.00	3.00	25.00
<i>Clethra alnifolia</i> , 6 in. - 18 in. . . . .	0.50	3.00	20.00
“ “ 1½ ft. - 3 ft. clumps. . . . .	1.00	5.00	40.00
<i>Comptonia asplenifolia</i> , (small) . . . . .	50	3.00	20.00
“ “ (large) . . . . .	75	4.00	30.00

	10	100	1000
<i>Cornus alternifolia</i> , 1 ft. - 3 ft. . . . .	\$0.50	\$4.00	
“ “ 3 ft. - 5 ft. . . . .	1.00	5.00	
“ <i>circinata</i> , 1 ft. - 2 ft. . . . .	50	3.00	\$20.00
“ “ 2 ft. - 3 ft. . . . .	1.00	4.00	30.00
“ “ 3 ft. - 4 ft. . . . .	1.25	6.00	50.00
“ <i>Florida</i> , 1 ft. - 2 ft. . . . .	50	3.00	25.00
“ “ 2 ft. - 3 ft. . . . .	1.00	5.00	40.00
“ “ 3 ft. - 4 ft. . . . .	1.25	10.00	75.00
“ <i>paniculata</i> , 1 ft. - 2 ft. . . . .	50	3.00	25.00
“ “ 2 ft. - 3 ft. . . . .	1.00	5.00	40.00
“ “ 3 ft. - 4 ft. . . . .	1.25	7.50	50.00
“ <i>sericea</i> , 6 in. - 18 in. . . . .	50	3.00	20.00
“ “ 1½ ft. - 3 ft. . . . .	75	3.50	30.00
“ “ 3 ft. - 4 ft. . . . .	1.00	5.00	40.00
“ <i>stolonifera</i> , 6 in. - 18 in. . . . .	50	3.00	25.00
“ “ 18 in. - 3 ft. . . . .	1.00	5.00	35.00
“ “ 3 ft. - 4 ft. . . . .	1.25	7.50	50.00
<i>Corylus Americana</i> , 1 ft. - 3 ft. . . . .	50	3.00	25.00
“ “ 3 ft. - 4 ft. . . . .	1.00	5.00	40.00
“ <i>rostrata</i> , 1 ft. - 3 ft. . . . .	.50	3.00	25.00
“ “ 3 ft. - 4 ft. . . . .	1.00	5.00	40.00
<i>Crategus coccinea</i> , 1 ft. - 3 ft. . . . .	1.00	6.00	
“ “ 3 ft. - 5 ft. . . . .	2.00	10.00	
<i>Diervilla trifida</i> . . . . .	50	3.00	25.00
“ “ <i>clumps</i> . . . . .	1.00	5.00	35.00
<i>Dirca palustris</i> , 1 ft. - 2 ft. . . . .	1.00	7.50	
“ “ 2 ft. - 3 ft., heavy . . . . .	1.50	12.50	
“ “ 3 ft. - 5 ft. “ . . . .	3.00	25.00	
<i>Fagus Americana</i> , 6 in. - 18 in. . . . .	50	4.00	
“ “ 18 in. - 3 ft. . . . .	75	6.00	
“ “ 3 ft. - 4 ft. . . . .	1.50	10.00	
“ “ 4 ft. - 6 ft. <i>stocky</i> . . . . .	2.00	15.00	

	10	100	1000
Fraxinus Americana, 6 in. - 2 ft. . . . .	\$5.50	\$3.00	\$25.00
“ “ 2 ft. - 3 ft. . . . .	1.00	5.00	
“ “ 3 ft. - 4 ft. . . . .	1.25	7.50	
“ nigra, 1 ft. - 3 ft. . . . .	1.00	5.00	
“ “ 3 ft. - 4 ft. . . . .	1.25	10.00	
Gaylussacia resinosa . . . . .	50	2.00	15.00
Hammamelis, 1 ft. - 3 ft. . . . .	50	3.00	25.00
“ 3 ft. - 5 ft. . . . .	1.00	7.00	60.00
Hicoria ovata, 1 ft. - 3 ft. . . . .	1.50	10.00	
“ “ 3 ft. - 4 ft. . . . .	2.00	15.00	
“ “ 4 ft. - 6 ft. . . . .	2.50	20.00	
“ “ 6 in. - 18 in., nursery grown	1.00	7.50	
Ilex glabra, 9 in. - 15 in. . . . .	1.00	5.00	
“ “ 1½ ft. - 2½ ft. clumps with ball	5.00	40.00	
“ opaca, 6 in. - 12 in. . . . .	1.00	7.00	
“ “ 1 ft. - 2 ft. . . . .	3.00	25.00	
“ verticillata, 1½ ft. - 3 ft. . . . .	50	3.00	25.00
“ “ 3 ft. - 5 ft., clumps . . . .	1.00	8.00	75.00
“ “ 3 ft. - 5 ft. (with berries)	2.00	12.00	100.00
Ilicioides mucronata . . . . .			
“ 1 ft. - 3 ft. . . . .	1.00	4.00	30.00
“ 3 ft. - 5 ft., clumps . . . .	2.00	10.00	75.00
Juglans cinerea, 2 ft. - 4 ft. . . . .	1.00	7.50	
“ Nigra, nursery grown, 3 ft. - 4 ft.	1.00	7.50	
“ “ “ “ 5 ft. - 5 ft.	1.50	10.00	
Kalmia angustifolia . . . . .	50	3.00	25.00
“ glauca . . . . .	1.00	4.00	30.00
“ latifolia, 6 in. - 12 in. . . . .	1.00	5.00	35.00
“ “ 1 ft. - 2 ft. . . . .	2.00	10.00	
“ “ 2 ft. - 3 ft. with ball . . .	5.00	40.00	
Myrica Carolinensis . . . . .	50	3.00	25.00
Myrica gale . . . . .	0.50	3.00	25.00
“ “ 2 ft. - 3 ft., clumps . . . . .	1.00	7.50	50.00



	10	100	1000
<i>Nyssa sylvatica</i> , 1 ft. - 3 ft. . . . .	\$1.00	\$6.00	
“ “ 3 ft. - 5 ft. . . . .	.200	10.00	
<i>Ostrya Virginica</i> , 6 in. - 18 in. . . . .	50	3.00	\$25.00
“ “ 18 in. - 3 ft. . . . .	75	4.00	35.00
“ “ 3 ft. - 5 ft. . . . .	1.00	7.00	50.00
<i>Populus alba</i> , 6 in. - 2 ft. . . . .	50	3.00	25.00
“ “ 2 ft. - 4 ft. . . . .	75	4.00	35.00
“ <i>grandidentata</i> , 1 ft. - 3 ft. . . . .	50	3.00	25.00
“ “ 3 ft. - 5 ft. . . . .	1.00	5.00	40.00
“ <i>tremuloides</i> , 1 ft. - 3 ft. . . . .	50	3.00	25.00
“ “ 3 ft. - 5 ft. . . . .	1.00	5.00	40.00
<i>Potentilla Fruticosa</i> , 1 ft. - 2 ft. . . . .	1.00	5.00	40.00
<i>Prunus Maritima</i> , 1 ft. - 3 ft. . . . .	1.00	5.00	
“ <i>Pennsylvanicum</i> , 1 ft. - 2½ ft. . . . .	50	3.00	25.00
“ “ 2½ ft. - 4 ft. . . . .	1.00	5.00	40.00
“ <i>serotina</i> , 1 ft. - 3 ft. . . . .	50	3.00	25.00
“ “ 3 ft. - 5 ft. . . . .	75	4.00	25.00
“ <i>Virginiana</i> , 1 ft. - 3 ft. . . . .	50	3.00	25.00
“ “ 3 ft. - 5 ft. . . . .	75	4.00	35.00
<i>Pyrus arbutifolia</i> , 6 in. - 18 in. . . . .	50	3.00	20.00
“ “ 18 in. - 3 ft. . . . .	75	4.00	30.00
“ “ <i>rubra</i> , 2 ft. - 4 ft. . . . .	1.00	5.00	40.00
<i>Quercus alba</i> , 6 in. - 18 in. . . . .	75	6.00	
“ “ 18 in. - 3 ft. . . . .	1.00	8.00	
“ <i>platanoides</i> , 1 ft. - 3 ft. . . . .	1.00	8.00	
“ <i>prinus</i> , 1 ft. - 3 ft. . . . .	1.00	4.00	
“ “ 3 ft. - 4 ft. . . . .	1.25	7.50	
“ <i>rubra</i> , 6 in. - 18 in. . . . .	50	4.00	
“ “ 18 in. - 3 ft. . . . .	75	6.00	
<i>Rhododendron Catawbiense</i> , 3in. - 6 in. . . . .	1.00	7.50	60.00
“ “ 6 in. - 12 in. . . . .	1.50	9.00	75.00
“ “ 1 ft. - 2 ft. clumps . . . . .	10.00	90.00	

	10	100	1000
Rhododendron Catawabiense 2 ft.-3 ft. clumps	\$15.00	125.00	
“ maximum, 6 in. - 12 in..	1.00	5.00	
“ “ 1 ft. - 2 ft. . . . .	3.00	25.00	
“ “ 2 ft. - 3 ft. . . . .	5.00	45.00	
Rhodora Canadensis . . . . .	1.00	5.00	
“ “ clumps . . . . .	1.50	10.00	
Rhus aromatica . . . . .	1.00	5.00	\$40.00
“ copolina, 6 in. - 18 in. . . . .	50	3.00	20.00
“ “ 18 in. - 3 ft. . . . .	75	4.00	35.00
“ glabra, 6 in. - 18 in. . . . .	50	3.00	20.00
“ “ 18 in. - 3 ft. . . . .	75	4.00	35.00
“ typhina, 6 in. - 18 in. . . . .	50	3.00	20.00
“ “ 18 in. - 3 ft. . . . .	75	4.00	35.00
Robinia pseudacacia, 1 ft. - 2 ft . . . . .	1.00	5.00	
“ “ 2 ft. - 4 ft. . . . .	1.50	10.00	
Rosa Carolina . . . . .	50	3.00	25.00
“ lucida . . . . .	50	3.00	25.00
“ nitida . . . . .	75	3.00	25.00
“ rubignosa . . . . .	1.00	5.00	40.00
Rubus odoratus (large) . . . . .	75	4.00	30.00
“ villosus, 1 ft. - 3 ft. . . . .	50	3.00	25.00
Salix alba, 6 in. - 18 in. . . . .	50	3.00	
“ “ 18 in. - 4 ft. . . . .	75	5.00	
“ humilis . . . . .	50	3.00	
“ lucida, 1 ft. - 3 ft. . . . .	50	4.00	
Sambucus Americana, 6 in. - 18 in. . . . .	50	3.00	25.00
“ “ 18 in. - 3 ft. . . . .	75	4.00	35.00
“ racemosa, 2 ft. - 4 ft . . . . .	1.00	5.00	35.00
Sorbus Americana, 3 ft. - 5 ft . . . . .	2.00	15.00	
Spirea salicifolia, (small) . . . . .	50	3.00	20.00
“ “ (large) clumps . . . . .	1.00	5.00	40.00
“ tomentosa, (small) . . . . .	50	3.00	20.00

	10	100	1000
<i>Spirea tomentosa</i> , (large) clumps.....	\$1.00	\$5.00	\$40.00
<i>Symphoricarpus racemosa</i> .....	50	4.00	
<i>Tilia Americana</i> , 1 ft. - 3 ft.....	50	4.00	30.00
“ “ 3 ft. - 4 ft.....	1.00	7.50	
<i>Ulmus Americana</i> , 6 in. - 18 in.....	50	3.00	25.00
“ “ 18 in. - 3 ft.....	75	4.00	35.00
“ “ 3 ft. - 5 ft.....	1.00	6.00	50.00
<i>Vaccinium corymbosum</i> , 1 ft. - 2 ft.....	75	4.00	30.00
“ “ 2 ft. - 3 ft., clumps	2.50	15.00	100.00
“ “ 3 ft. - 4 ft., clumps	3.00	25.00	150.00
“ <i>Pennsylvanicum</i> , (large).....	50	3.00	25.00
“ <i>Vacillans</i> .....	50	3.00	25.00
<i>Viburnum acerfolium</i> , 6 in. - 18 in.....	50	3.00	25.00
“ “ 18 in.-3 ft., clumps	1.00	6.00	50.00
“ <i>cassinoides</i> , 6 in. - 18 in.....	50	3.00	25.00
“ “ 18 in.-3 ft., clumps	1.00	6.00	50.00
“ “ 3 ft. - 4 ft., clumps	1.50	10.00	75.00
“ “ 4 ft. - 5 ft., “	2.00	15.00	100.00
“ <i>dentatum</i> , 6 in. - 18 in.....	50	3.00	25.00
“ “ 18 in.-3 ft., clumps	1.00	6.00	50.00
“ “ 3 ft. - 4 ft., “	1.50	10.00	75.00
“ “ 4 ft. - 5 ft., “	2.00	15.00	100.00
“ <i>lantanoides</i> , 6 in. - 18 in....	50	3.00	15.00
“ “ 18 in. - 3 ft.....	1.00	5.00	40.00
“ <i>Lentago</i> , 1 ft. - 3 ft.....	75	4.00	25.00
“ “ 3 ft. - 4 ft., clumps	1.50	10.00	75.00
“ “ 4 ft. - 5 ft “	2.50	15.00	125.00
“ “ 5 ft. - 8 ft “	3.00	25.00	150.00
“ <i>opulus</i> , 2 ft. - 4 ft. ....	1.00	7.50	
“ <i>prunifolium</i> , 1 ft. - 3 ft.....	1.00	4.00	35.00
“ “ 3 ft. - 4 ft.....	1.50	10.00	85.00
“ <i>pubescens</i> , 1 ft. - 3 ft. ....	1.00	5.00	35.00
“ “ 3 ft. - 5 ft. ....	1.50	10.00	75.00

## EVERGREENS.

With ball and burlap. Ask for prices.

	10	100	1000
Cupressus thyoides, 6 - 12 in .....	\$0.50	\$3.00	\$25.00
“ “ 1 - 2 ft.....	75	4.00	30.00
“ “ 2 - 4 ft.....	1.00	6.00	50.00
Juniperus communis, 6 - 12 in. ....	50	4.00	30.00
“ “ 12 - 18 in.....	1.00	6.00	50.00
“ prostrata 6 - 12 in. ....	50	4.00	30.00
“ “ 12 - 18 in.....	1.00	6.00	50.00
“ “ 18 - 24 in.....	2.00	10.00	75.00
“ Virginiana, 6 - 12 in.....	50	4.00	25.00
“ “ 1 - 2 ft.....	1.00	7.50	50.00
“ “ 2 - 3 ft. ....	1.50	10.00	
“ “ 3 - 4 ft.....	2.00	15.00	
Picea alba, 6 - 12 in.....	50	3.00	25.00
“ “ 1 - 2 ft.....	1.00	5.00	
Pinus resinosa, 6 - 12 in.....	50	4.00	
“ “ 1 - 2 ft. ....	75	6.00	
“ “ 2 - 4 ft.....	1.50	10.00	
“ rigida, 1 - 2 ft.....	75	5.00	
“ “ 2 - 4 ft. ....	1.00	8.00	
“ strobus, 2 - 6 in.....	50	2.50	15.00
“ “ 6 - 12 in. ....	75	3.00	25.00
“ “ 1 - 2 ft.....	1.00	4.00	35.00
“ “ 2 - 3 ft. ....	1.50	8.00	75.00
Taxus Canadensis, 6 - 18 in.....	50	3.00	25.00
“ “ 1½ - 2½ ft.....	1.00	5.00	35.00
Tsuga Canadensis, 2 - 6 in. ....	50	2.00	10.00
“ “ 6 - 12 in.....	75	3.00	20.00
“ “ 1 - 2 ft. ....	1.00	5.00	40.00
“ “ 2 - 3 ft.....	1.50	10.00	
“ “ 3 - 4 ft.....	2.50	20.00	
“ “ 4 - 5 ft.....	3.50	30.00	



I make a specialty of collecting Native Tree and Plant Seeds, and have collectors in different parts of U. S. A., and can furnish almost any Native Tree or Plant Seed needed.